

L Number	Hits	Search Text	DB	Time stamp
1	23874	707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:01
2	32	(707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and approval near (code or level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:17
3	0	((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and approval near (code or level)) and (groupware or (group adj ware))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:08
4	250	(707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and (groupware or (group adj ware))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:03
5	7	((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and approval near (code or level)) and database with rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:07
6	52	(707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and approv\$4 near (code or level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:06
7	10	((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and approv\$4 near (code or level)) and database with rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:07
8	1883	(707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and database with rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:07
9	93	((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and database with rule) and design near4 (report or engineer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:22
10	58	((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and database with rule) and design near4 (report or engineer\$5)) and (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:26
11	10	((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and database with rule) and design near4 (report or engineer\$5)) and (user adj interface)) and (groupware or (group adj ware))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:09
12	27	((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and database with rule) and design near4 (report or engineer\$5)) and (user adj interface)) and (plurality or multipl\$6 or number) adj users!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:09
13	496	((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and database with rule) and ((design near4 (report or engineer\$5)) or (report\$4 near4 (generat\$6 or creat\$6 or build\$5 or construct\$6 or establish\$5 or implement\$6)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:16

6/9/04
2002

14	55	((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and database with rule) and ((design near4 (report or engineer\$5)) and (report\$4 near4 (generat\$6 or creat\$6 or build\$5 or construct\$6 or establish\$5 or implement\$6)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:16
15	0	((((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and database with rule) and ((design near4 (report or engineer\$5)) and (report\$4 near4 (generat\$6 or creat\$6 or build\$5 or construct\$6 or establish\$5 or implement\$6)))) and approv\$5 near (code or level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:17
16	5	((((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and database with rule) and ((design near4 (report or engineer\$5)) or (report\$4 near4 (generat\$6 or creat\$6 or build\$5 or construct\$6 or establish\$5 or implement\$6)))) and approv\$5 near (code or level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:27
17	35	((((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and database with rule) and ((design near4 (report or engineer\$5)) and (report\$4 near4 (generat\$6 or creat\$6 or build\$5 or construct\$6 or establish\$5 or implement\$6)))) and (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:50
18	18	(((((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and database with rule) and ((design near4 (report or engineer\$5)) and (report\$4 near4 (generat\$6 or creat\$6 or build\$5 or construct\$6 or establish\$5 or implement\$6)))) and (user adj interface)) and click\$5 near9 icon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:27
19	37	(707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and design near4 (report and engineer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:22
20	10	(707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and design near4 (report and engineer\$5 and stage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:26
21	33173	(707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and design near (report and stage) abd CAD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:26
22	2689	((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and design near (report and stage) abd CAD) and (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:27
23	200	((((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and design near (report and stage) abd CAD) and (user adj interface)) and click\$5 near4 icon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:27
24	1	(((((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and design near (report and stage) abd CAD) and (user adj interface)) and click\$5 near4 icon) and approv\$5 near (code or level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:51
25	55	(((((707/\$.ccls. or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and design near (report and stage) abd CAD) and (user adj interface)) and click\$5 near4 icon) and approv\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:40
26	311	345/741,753.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:49

27	0	345/741,753.ccls. and design near (report and engineer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:50
28	2	345/741,753.ccls. and design near (report or engineer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:50
29	114	345/741,753.ccls. and design	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:50
30	68	(345/741,753.ccls. and design) and (user adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:51
31	5	((345/741,753.ccls. and design) and (user adj interface)) and approv\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:52
32	170	345/741,753.ccls. and user adj interface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:07
33	29	(345/741,753.ccls. and user adj interface) and click\$4 near5 icon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:00
34	2	((345/741,753.ccls. and user adj interface) and click\$4 near5 icon) and groupware	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:53
35	28	(345/741,753.ccls. and user adj interface) and click\$4 and report	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:58
36	6	(345/741,753.ccls. and user adj interface) and click\$4 and (report\$4 near4 (generat\$6 or creat\$6 or build\$5 or construct\$6 or establish\$5 or implement\$6 or design))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:59
37	0	(345/741,753.ccls. and user adj interface) and click\$4 and (report\$4 with design)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:00
38	4	(345/741,753.ccls. and user adj interface) and click\$4 and approval	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:00
39	19467	707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:21

40	1658	(707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and rule with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:02
41	29	((707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and rule with database) and report near4 design	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:02
42	10	((707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and rule with database) and report near4 design) and code near4 design	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:04
43	1223	(707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and approval	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:05
44	1	(707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and approval near (level and code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:05
45	4	(707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and approval near9 (level and code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:06
46	1223	(707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and approval	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:06
47	213	((707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and approval) and rules! with database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:07
48	155	((707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and approval) and rules! with database) and user adj interface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:17
49	1	((707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and approval) and rules! with database) and user adj interface) and design with (document\$7 and drawings!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:08
50	1	((707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and approval) and rules! with database) and user adj interface) and design with (document\$7 and drawing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:08
51	26	((707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and approval) and rules! with database) and user adj interface) and design with (document\$7 or drawing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:13
52	6	(design near report).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:16

53	1120	design near3 report	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:17
54	131	(design near3 report) and (707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:17
55	87	((design near3 report) and (707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.)) and user adj interface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:21
56	18	((((design near3 report) and (707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.)) and user adj interface) and design and report and approval	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:21
57	404	report same CAD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:21
58	110	(report same CAD) and user adj interface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:21
59	8	((report same CAD) and user adj interface) and (707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:23
60	29	(report same CAD) and (707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:26
61	403	(707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and cad	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:26
62	29	((707/1,2,3,4,5,6,7,8,9,10,100,101,102.ccls.or 705/7,8,9,10,11.ccls. or 345/741,753.ccls.) and cad) and design near6 report	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:27

Number	Hits	Search Text	DB	Time stamp
1	1120	design near3 report	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:31
2	11	((design near3 report) and database and approval and (((working or item) adj list) or worklist or workitem)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:29
3	377	design near report	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:32
4	50	(design near report) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:36
5	14	((design near report) and 707/\$.ccls.) and users! and (configur\$6 near9 database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:39
6	6	((design near report) and 707/\$.ccls.) and users! and (configur\$6 near9 database)) and approval	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:38
7	6	((design near report) and 707/\$.ccls.) and approval and (configur\$6 near9 database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:46
8	20	((design near report) and 707/\$.ccls.) and (configur\$6 near9 database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:43
9	7	((design near report) and 707/\$.ccls.) and business adj rules!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:44
10	7	((design near report) and 707/\$.ccls.) and business adj rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:44
11	50	(design near3 report) and business adj rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:47
12	10	((design near3 report) and business adj rule) and design near stage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:46
13	5913	design near stage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:46

14	15	(design near stage) and approval and (configur\$6 near9 database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:49
15	76	(design near stage) and approval and configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:47
16	9	((design near stage) and approval and configur\$6) and business adj rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:47
17	47	((design near stage) and approval and configur\$6) and approval and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:50
18	3	((design near stage) and approval and configur\$6) and approval and database) and document\$8 near4 drawing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:52
19	3	((design near stage) and approval and configur\$6) and document\$8 near4 drawing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:52
20	17	(design near3 report) and document\$8 near4 drawing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 07:54